L Number	Hits	Search Text	DB	Time stamp
1	189	(211/77).CCLS.	USPAT	2003/06/15 15:04
2	652	(211/163).CCLS.	USPAT	2003/06/15 15:05
3	10879	(turnable or rotat$4) with tray$1	USPAT	2003/06/15 16:05
4	7181	((turnable or rotat$4) with tray$1) and (bearing or roller$1)	USPAT	2003/06/15 15:19
5	129	(((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.	USPAT	2003/06/15 15:06
6	98	(((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.	USPAT	2003/06/15 18:27
8	138	((turnable or rotat$4) with tray$1) and ((interfere or interfering) with rotation)	USPAT	2003/06/15 15:17
9	142	((turnable or rotat$4) with tray$1) and (interfer$3 with rotation)	USPAT	2003/06/15 15:21
10	5743	(((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (base or bottom)	USPAT	2003/06/15 15:20
11	19	(((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (larger adj (base or bottom))	USPAT	2003/06/15 15:23
12	99	(((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)	USPAT	2003/06/15 15:22
13	99	((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)) not (((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.)	USPAT	2003/06/15 15:25
16	5	(larger adj (base or bottom)) with (turnable or rotat$4) with (bearings or rollers)	USPAT	2003/06/15 15:26
17	24	(larger adj (base or bottom)) same (turnable or rotat$4) same (bearings or rollers)	USPAT	2003/06/15 15:26
15	115	((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.) not ((((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)))	USPAT	2003/06/15 15:45
18	42	(((turnable or rotat$4) with tray$1) and ((interfere or interfering) with rotation)) not (((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)))	USPAT	2003/06/15 15:46
19	186	((211/77).CCLS.) not (((((turnable or rotat$4) with tray$1) and ((interfere or interfering) with rotation)) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)))	USPAT	2003/06/15 16:12
22	4318	((turnable or rotat$4) with (merchandise or display or tray$1 or stand)) same (rollers or bearings or balls)	USPAT	2003/06/15 18:38
23	807	(((turnable or rotat$4) with (merchandise or display or tray$1 or stand)) same (rollers or bearings or balls)) and (projections or hooks or tabs)	USPAT	2003/06/15 16:10
24	26	((((turnable or rotat$4) with (merchandise or display or tray$1 or stand)) same (rollers or bearings or balls)) and (projections or hooks or tabs)) and 211/$.ccls.	USPAT	2003/06/15 16:08
25	9044	((turnable or rotat$4) same (merchandise or display or tray$1 or stand)) same (rollers or bearings or balls)	USPAT	2003/06/15 16:14

27	1640	(((turnable or rotat$4) same (merchandise or display or tray$1 or stand)) same (rollers or bearings or balls)) and (projections or hooks or tabs)	USPAT	2003/06/15 16:15
28	1392	((((turnable or rotat$4) same (merchandise or display or tray$1 or stand)) same (rollers or bearings or balls)) and (projections or hooks or tabs)) and (base or bottom)	USPAT	2003/06/15 16:12
29	887	((((turnable or rotat$4) same (merchandise or display or tray$1 or stand)) same (rollers or bearings or balls)) and (projections or hooks or tabs)) and ((base or bottom) with (top or upper))	USPAT	2003/06/15 16:12
30	613	((211/163).CCLS.) not (((211/77).CCLS.) or (((turnable or rotat$4) with tray$1) and ((interfere or interfering) with rotation)) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)))	USPAT	2003/06/15 18:05
31	538	((((turnable or rotat$4) same (merchandise or display or tray$1 or stand)) same (rollers or bearings or balls)) and (projections or hooks or tabs)) and grooves	USPAT	2003/06/15 16:13
32	95	((((turnable or rotat$4) same (merchandise or display or tray$1 or stand)) same (rollers or bearings or balls)) and (projections or hooks or tabs)) and (groove with (rollers or bearings or balls))	USPAT	2003/06/15 16:14
34	259	((turnable or rotat$4) same (merchandise or display or tray$1 or stand)) same (groove$1 with (rollers or bearings or balls))	USPAT	2003/06/15 16:15
35	94	(((turnable or rotat$4) same (merchandise or display or tray$1 or stand)) same (groove$1 with (rollers or bearings or balls))) and (projections or hooks or tabs)	USPAT	2003/06/15 16:19
36	613	(((211/163).CCLS.) not (((211/77).CCLS.) or (((turnable or rotat$4) with tray$1) and ((interfere or interfering) with rotation)) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)))) not ((((turnable or rotat$4) same (merchandise or display or tray$1 or stand)) same (groove$1 with (rollers or bearings or balls))) and (projections or hooks or tabs))	USPAT	2003/06/15 17:47
37	22	("1396246" | "3455531" | "3653340" | "4003320" | "4114952" | "4328942" | "4584946" | "4687198" | "4694132" | "4708256" | "4776046" | "4919383" | "5080322" | "5110098" | "5322023" | "5335803" | "5479867" | "5493976" | "5564669" | "5848712" | "6082269" | "6299454").PN.	USPAT	2003/06/15 16:20
38	0	6463946.URPN.	USPAT	2003/06/15 16:24
39	182	dip with tray$1	USPAT	2003/06/15 17:50
40	452	(dip or dipping) with (tray$1 or bowl)	USPAT	2003/06/15 17:51
42	270	((dip or dipping) with (tray$1 or bowl)) not (dip with tray$1)	USPAT	2003/06/15 17:51
43	86	(((dip or dipping) with (tray$1 or bowl)) not (dip with tray$1)) and (hook$1 or tab$1 or projection$1)	USPAT	2003/06/15 18:04
44	59	(211/129.1).CCLS.	USPAT	2003/06/15 18:08

45	43	((211/129.1).CCLS.) not (((((dip or dipping) with (tray$1 or bowl)) not (dip with tray$1)) and (hook$1 or tab$1 or projection$1)) or ((211/163).CCLS.) or ((211/77).CCLS.) or (((turnable or rotat$4) with tray$1) and ((interfere or interfering) with rotation)) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)))	USPAT	2003/06/15 18:17
46	183	(211/144).CCLS.	USPAT	2003/06/15 18:08
47	146	((211/144).CCLS.) not (((211/129.1).CCLS.) or ((((dip or dipping) with (tray$1 or bowl)) not (dip with tray$1)) and (hook$1 or tab$1 or projection$1)) or ((211/163).CCLS.) or ((211/77).CCLS.) or (((turnable or rotat$4) with tray$1) and ((interfere or interfering) with rotation)) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)))	USPAT	2003/06/15 18:08
48	206	(211/131.1).CCLS.	USPAT	2003/06/15 18:17
49	130	((211/131.1).CCLS.) not (((211/129.1).CCLS.) or ((((dip or dipping) with (tray$1 or bowl)) not (dip with tray$1)) and (hook$1 or tab$1 or projection$1)) or ((211/163).CCLS.) or ((211/77).CCLS.) or (((turnable or rotat$4) with tray$1) and ((interfere or interfering) with rotation)) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)))	USPAT	2003/06/15 18:32
50	2899	((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))	USPAT	2003/06/15 18:26
51	520	(((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))	USPAT	2003/06/15 18:26
54	14	((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 312/$.ccls.	USPAT	2003/06/15 18:59
53	22	((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 248/$.ccls.	USPAT	2003/06/15 18:28
52	15	((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 211/$.ccls.	USPAT	2003/06/15 18:36

55	341	(248/349.1).CCLS.	USPAT	2003/06/15 18:31
57	145	(248/131).CCLS.	USPAT	2003/06/15 18:31
58	314	((248/349.1).CCLS.) not (((211/131.1).CCLS.) or (((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 211/$.ccls.) or ((((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 248/$.ccls.) or ((((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 312/$.ccls.) or ((211/129.1).CCLS.) or ((((dip or dipping) with (tray$1 or bowl)) not (dip with tray$1)) and (hook$1 or tab$1 or projection$1)) or ((211/163).CCLS.) or ((211/77).CCLS.) or (((turnable or rotat$4) with tray$1) and ((interfere or interfering) with rotation)) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)))	USPAT	2003/06/15 18:32
59	135	((248/131).CCLS.) not (((211/131.1).CCLS.) or (((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 211/$.ccls.) or ((((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 248/$.ccls.) or ((((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 312/$.ccls.) or ((211/129.1).CCLS.) or ((((dip or dipping) with (tray$1 or bowl)) not (dip with tray$1)) and (hook$1 or tab$1 or projection$1)) or ((211/163).CCLS.) or ((211/77).CCLS.) or (((turnable or rotat$4) with tray$1) and ((interfere or interfering) with rotation)) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)))	USPAT	2003/06/15 18:32

60	6	(((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 108/$.ccls.	USPAT	2003/06/15 18:38
61	64	(((248/349.1).CCLS.) not (((211/131.1).CCLS.) or ((((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 211/$.ccls.) or (((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 248/$.ccls.) or (((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 312/$.ccls.) or ((211/129.1).CCLS.) or ((((dip or dipping) with (tray$1 or bowl)) not (dip with tray$1)) and (hook$1 or tab$1 or projection$1)) or ((211/163).CCLS.) or ((211/77).CCLS.) or (((turnable or rotat$4) with tray$1) and ((interfere or interfering) with rotation)) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 248/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and 211/$.ccls.) or ((((turnable or rotat$4) with tray$1) and (bearing or roller$1)) and (interfer$3 with rotation)))) and (rollers or bearings or balls)	USPAT	2003/06/15 18:38
63	66	(108/22).CCLS.	USPAT	2003/06/15 18:55
62	328	(108/94).CCLS.	USPAT	2003/06/15 18:57
64	6	(((((turnable or rotat$4) with (merchandise or display or tray$1 or stand or support)) same ((groove$1 or channel$1 or slot$1) with (rollers or bearings or balls))) and ((flange$1 or hook$1 or tab$1 or projection$1) with (base or bottom))) and 108/$.ccls.	USPAT	2003/06/15 18:59